

# THE ENTOMOLOGIST'S MONTHLY MAGAZINE

World List Abbreviation, 4th ed. (1963): *Entomologist's mon. Mag.*

EDITED BY

Prof. Sir Richard SOUTHWOOD, D.Sc., F.R.S., F.R.E.S.

M. G. MORRIS, M.A., Ph.D., F.I.Biol., F.L.S., F.R.E.S.

K. G. V. SMITH, C.Biol., F.I.Biol., F.L.S., F.R.E.S.

J. W. ISMAY, B.Sc., Ph.D., F.R.E.S.

P. M. HAMMOND, M.A., F.R.E.S.

W. R. DOLLING, B.Sc., F.R.E.S.

VOLUME 126

'J'engage donc tous à éviter dans leurs écrits toute personnalité, toute allusion dépassant les limites de la discussion la plus sincère et la plus courtoise.' — *Laboulbène*.

THE ENTOMOLOGIST'S MONTHLY MAGAZINE  
BRIGHTWOOD  
BRIGHTWELL, WALLINGFORD, OXON OX10 0QD  
1990

---

Published by Gem Publishing Company

## GENERAL INDEX

- Afrotropical, forest dwelling grasshopper genus *Duvaridia* (Orthoptera: Acridiidae, Catantopinae), a new species of, 113; a new genus for the mayfly *Cloeon dentatum* Kimmins (Ephem., Baetidae), 201; ant genus *Andraghnathus*, the identity of the forgotten, 75
- Araucaria* and *Casuarina* in Australia and Hawaii, two new Thripidae (Thysanoptera) from the male flowers of, 1
- Australia, a new genus and species of Thripidae with elongate mouthparts from western, 213; two new Thripidae (Thysanoptera) from, and Hawaii, 1
- Australian Chalcidoidea (Hym.): further errors and omissions, 87
- Bangladesh, a new genus and species of Pteromalidae (Hym.) attacking mealybugs and soft scales (Hom., Coccoidea) on guava in, 231
- Bedfordshire, *Drepanopteryx phalaenoides* (L.) (Neur., Hemerobiidae) in, 26
- Belize, Programme for, iii
- Biological observations on *Subcoccinella vigintiquatuorpunctata* (L.) (Col., Coccinellidae), 223
- Biology and status of British dung-flies of the genus *Parallelomma* Becker (Dipt., Scathophagidae), observations on, 187
- Bird cherry (*Prunus padi* L.), further novel insect records for, 190
- Biting, human, by the flowerbug *Anthocoris nemorum* (L.) (Hem., Anthocoridae), 96; Hemiptera (Anthocoridae and Miridae), 96
- Blood, human, *Nysius* (Hem., Lygaeidae) sucking in Kuwait, 95
- Boring habits, variation on the theme of in *Scolytus mali* (Bechstein) (Col., Scolytidae), 204
- Bouché, the identity of five species of scale insects (Hem., Homoptera, Coccoidea), living on ornamental plants, originally described by, 79
- Britain, *Bryophaenocladus inconstans* (Brundin) (Dipt., Chironomidae) new to, 74; *Crypturgus subtribosus* Eggar (Col., Scolytidae) a bark beetle new to, 209; hoverfly of the genus *Epistrophe* (Dipt., Syrphidae) new to, 167; *Meligethes haemorrhoidalis* Förster (Col., Nitidulidae) new to, 237; notes on British Scaridae (Diptera) with descriptions of three new species and a species of new to, 51; *Platypalpus bilobatus* Wéber 1972 (Dipt., Empididae), new to, and other Essex records of the genus, 59; *Pyrrhalla luteola* (Mull.) (Col., Chrysomelidae) accidentally introduced into, 190; two species of *Anteon* (Hym., Drinidae) new to, one new to science, 185
- British record, third, of *Mesodryinus niger* Kieffer (Hym., Dryinidae), 186
- British species, *Pterostichus rhaeticus* Heer (Col., Carabidae), confused with *P. nigrita* (Paykull), 245
- Buckinghamshire, *Deinopsis erosa* (Stephens) (Col., Staphylinidae) in, 244; the genera *Carpelimus* Samouelle and *Platystethus* Mannerheim (Col., Staphylinidae) in, 249
- Cambridge, Bumblebee Project Survey of Nest Sites, ix; records of Sphecidae (Hym.) from, including two species new to vice county 29, 101
- Canary Islands, *Otostigmus spinicaudus* (Newport, 1844) (Chilopoda, Scolopendromorpha, Scolopendridae), second scolopendrid centipede on the, 222
- Cape figwort (*Phygadeuon capensis*), *Cionus* (Col., Curculionidae) on, 230
- Carrion feeder, *Sylvicola cinctus* (F.) (Dipt., Anisopodidae) as a, 50
- Casuarina* and *Araucaria*, male flowers of, two new Thripidae (Thysanoptera) from, in Australia and Hawaii, 1
- Cheshire, *Palaeomymar anomalus* (Blood & Kryger) (Hym., Mymaromatidae) in, 73
- Congress of Dipterology, iii
- Cumberland, *Chordeuma promimum* Ribaut (Diplopoda, Chordeumatidae) in, 120
- Cumbria, two rare water beetles (Col., Dytiscidae) from, 260
- Dahlbom genera of Chalcidoidea (Hym.), some represented by original material in Zoologiska Institutionen, Lund, 197
- Devon, an old record of *Amphimallon ochraceus* (Knoch) (Col., Scarabaeidae) from, 155; *Eupheptaulacus sus* (Hb.) (Col., Scarabaeidae) in north, 238
- Distribution records of *Sepedophilus* Gistel (Col., Staphylinidae) in Britain, 208
- England, records of *Stenocranus species* (Hem., Delphacidae) in, 212
- Errata, 252, 260
- Essex records of *Platypalpus* including *P. bilobatus* Wéber 1972 (Dipt., Empididae), new to Britain, 59
- Florida, *Japanagromyza polygoni* Spencer (Dipt., Agromyzidae) in, 118
- Foodstuffs, powdered, a simple device for extracting small insects and mites from, 201

- France, swarming of *Crumomyia glabrifrons* (Meigen) (Dipt., Sphaeroceridae) in the Massif Central, 236
- Galloway, a belated record of *Procas granulicollis* Walton (Col., Curculionidae) from, with a discussion of the British *Procas* spp., 211
- Glamorganshire, some uncommon beetles captured at Merthyr Mawr Warren, 32
- Greenhouse effect and terrestrial ecosystems, viii
- Hawaii and Australia, two new Thripidae (Thysanoptera) from, 1
- Herefordshire, *Leptusa pulchella* (Mannerheim) (Col., Staphylinidae) in, 49; some beetles from Moccas Park, 70
- Hering Memorial Research Fund, iii
- Hertfordshire, *Oedalea apicalis* (Loew) (Dipt., Empididae) in, 48
- International Rainforest Project, xv
- Intranest copulation of *Formica rufa* L. (Hym., Formicidae), 86
- Irish record of *Elenchus tenuicornis* (Kirby) (Strepsipt., Elenchidae), a recent, 66
- Kent, further records of *Chelipoda vocatoria* (Fln) (Dipt., Empididae), 66; *Macrorhyncholus littoralis* (Broun) (Col., Curculionidae), a littoral weevil new to the Palaearctic Region, from two sites in, 97
- Kiribati, South Pacific, the bark and ambrosia beetles (Col., Scolytidae and Platypodidae) of, 149
- Kuwait, *Nysius* (Hem., Lygaeidae) sucking human blood in, 95
- Low specificity of *Plebejus argus* (L.) (Lep., Lycaenidae) to species of *Lasius* (Hym., Formicidae), 196
- Malaya, new species of *Ventidius* Distant (Hem., Gerridae) from Thailand and, 61
- Malaysia, a new *Aragara* Walker (Dipt., Chloropidae) from, 217
- Man, Hemiptera biting, 95-6
- Mantids, meat and myth, more on, 191
- Massacre of stag beetles, *Lucanus cervus* (L.) (Col., Lucanidae), 196
- Mites associated with terrestrial beetles in the British Isles, 133
- Mull, Isle of, Scotland, *Hyperaspis pseudopustulata* Mulsant (Col., Coccinellidae) on the, 204
- Nests of *Lasius niger* (L.) (Hym., Formicidae), *Plebejus argus* L. (Lep., Lycaenidae) pupae in, 73
- New World, Discovery of the millipede *Craspedosoma rawlinsii* Leach (Chordeumatida: Craspedosomatidae) in the, 117
- Norfolk, *Epiphanis cornutus* Esch. (Col., Eucnemidae) in, 170; *Gyrinus suffriani* Scriba (Col., Gyrinidae) in the Breckland, 178; more *Trigonalys hahnii* Spinola (Hym., Trigonalidae) in, 86
- Northern England and Scotland, records of 'British Red Data Book' Coleoptera in, 170
- OBITUARIES - Dr Alan Maurice Easton, 89; Guy Malcolm Spooner, 173; Dr Ian Harley Haynes Yarrow, 253
- Observations on the biology and status of British dung-flies of the genus *Parallelomma* Becker (Dipt., Scathophagidae), 187
- Old specimen of a new European *Platycheirus* species (Dipt., Syrphidae), 204
- Oriental species of Scatopsidae (Diptera), notes on seven described by F.W. Edwards in the genus *Scatopse*, 9
- Prey, of *Pemphredon lugubris* (F.) (Hym., Sphecidae), 20; *Platypalpus longicornis* (Meig.) (Dipt., Empididae) with *Bombus lapidarius* (L.) (Hym., Aculeata) as, 118
- Rainforest Projects, iii, xv
- Reared *Xanthandrus comtus* (Harris) (Dipt., Syrphidae), 258
- Rearing techniques, improved, of rearing *Tipula paludosa* Meigen (Dipt., Tipulidae) in the laboratory, 119
- Redescription of *Onoppia palmicinctum* (Michael, 1880) (Acari, Cryptostigmata), 163
- REVIEWS - Ashmole, M. & P., 1989, Natural History Excursions in Tenerife: a guide to the countryside, plants and animals, 184; Askew, R.R., 1988, The Dragonflies of Europe, 166; Beavis, I.C., 1988, Insects and other Invertebrates in Classical Antiquity, 148; Betts, C., 1988, Hymenopterist's Handbook [Supplement], ix; Bily, S. & Mehl, O., 1988, Longhorn Beetles (Col., Cerambycidae) of Fennoscandia and Denmark (*Faun. Ent. Scand.* 22), 251; Brown, P.A., 1989, Keys to the Alate *Aphis* (Homoptera) of Northern Europe, 203; Brown, R.G. & Hodkinson, I.D., 1988, Taxonomy and Ecology of the Jumping Plant-lice of Panama (Homoptera: Psyllodea), 85; Chalmers-Hunt, J.M., 1989, Local Lists of Lepidoptera: or a bibliographical catalogue of local lists and regional accounts of the butterflies and moths of the British Isles, 206; Checkley, K. & Mainwaring, J., 1990, Butterflies and Moths



- Activity Book, ix; **Day, M.C.**, 1988, Spider wasps (Hymenoptera, Pompilidae) (*Handbk Ident. Br. Insects*), 172; **Disney, R.H.L.**, 1989, Scuttle flies (Diptera, Phoridae) genus *Megaselia*, (*Handbk Ident. Br. Insects*), 178; **Easterbrook, M.**, 1988, Butterflies, the Lycaenidae, 58; **Easterbrook, M.**, 1989, Butterflies of the British Isles: the Pieridae, 238; **Elliott, J.M., Humpesch, U.H. & Macan, T.T.**, 1988, Larvae of the British Ephemeroptera, a key with ecological notes, 46; **Fitton, M.G., Shaw, M.R. & Gauld, I.D.**, 1988, Pimpline Ichneumon-flies, Hymenoptera, Ichneumonidae (Pimplinae) (*Handbk Ident. Br. Insects*), 156; **Gratwick, M.**, 1989, Potato Pests, 222; **Holman, M.**, 1987, The Aquatic Adephaga (Coleoptera) of Fennoscandia and Denmark (*Faun. Ent. Scand.*, 20), 77; **Jacques, R.L., Jr.**, 1988, Flora and Fauna Handbook, No. 3, Potato Beetles, the genus *Leptinotarsa* in North America (Coleoptera: Chrysomelidae), 171; **Lillehammer, A.**, 1988, Stoneflies (Plecoptera) of Fennoscandia and Denmark (*Faun. Ent. Scand.* 21), 152; **McAlpine, J.F. (ed.) & Wood, D.M.**, 1989, Manual of Nearctic Diptera, Vol. 3, 257; **Mahon, A.**, 1988, Grasshoppers and Bush Crickets of the British Isles, 85; **Nichols, S.A.** (compiler), 1989, The Torre-Bueno Glossary of Entomology, 235; **Savage, A.A.**, 1989, Adults of the British Aquatic Hemiptera Heteroptera, a key with ecological notes, 177; **Sawford, B.**, 1987, The Butterflies of Hertfordshire, 50; **Sawyer, R.**, 1988, Honey Identification, 148; **Siggs, L.W.** [updated by Cribb, P.W., Prior, G. & Taylor, P.], 1988, Killing, Setting and Storing Butterflies and Moths (3rd edn), ix; **Sladen, F.W.L.**, 1989, The Humble-bee: its life-history and how to domesticate it, 184; **Walker, A.K. & Crosby, T.K.**, 1988, The Preparation and Curation of Insects, 55; **Whitcomb, R.F. & Tully, J.G.**, 1989, The Mycoplasmas 5. - Spiroplasmas, Acheloplasmas, and Mycoplasmas of plants and Arthropods, 252; **Wilding, N., Collins, N.M., Hammond, P.M. & Webber, J.F.** (eds), 1989, Insect-Fungus Interactions, 230; Climatic Change and Nature Conservation, ix
- Rhododendron, Empididae (Dipt.) trapped by, 116
- Sardinia, a new species of *Livilla* (*spartiisuga*-group) (Hom., Psylloidea) living on *Genista ephedroides*, in, 157
- Saunders (W.W.) Collection, notes on the location and status of Walker types of Homoptera in, 121
- Scotland, an insect new to - or is it?, 74; *Melophilus lackschewitzianus* Alexander and *Brachypalpus lentus* (Meigen) (Dipt., Tipulidae and Syrphidae) in, 212; records of 'British Red Data Book' Coleoptera in Northern England and, 170
- Seasonal flight activity of social Vespinae (Hym., Vespidae) as monitored by Malaise trap catches, 179
- Sexual production in *Lasius flavus* (F.) (Hym., Formicidae), 47
- Sheppey, *Issus coleoptratus* F. (Hem., Issidae) from the Isle of, 252
- Skey, some deadwood associated beetles from the Isle of, 56
- Somerset, *Capsus wagneri* Remane (Hem., Miridae) in north, 260; *Paraliburnia clypealis* Sahlberg (Hem., Auchenorrhyncha, Delphacidae) in, 74
- South-east [England], further records of *Iassus scutellaris* (Fieber) (Hem., Cicadellidae) in the, 151
- Spain, new species and records of Sphaeroceridae (Dipt.) from, 33
- Speyside, *Pityophthorus lichtensteini* (Ratz.) (Col., Scolytidae) in, 19
- Staffordshire, Diptera [records needed], xv; *Supelia longipalpa* (F.) (Dictyoptera, Blatellidae) new to, 86
- Status of and biology of British dung-flies of the genus *Parallelomma* Becker (Dipt., Scathophagidae) observations on the, 187; of and location of Walker types of Homoptera in the W.W. Saunders Collection, 121; of two species of *Onthophagus* (Col., Scarabaeidae), 118
- Sulawesi, a new *Limonia* (subgenus *Laosa*) (Dipt., Tipulidae) species and its resting behaviour from, 239
- Sussex, *Brachygaster minutus* (Olivier) (Hym., Evaniidae) in west, 238; *Corticaria linearis* (Payk.) (Col., Lathridiidae) in east, 156; *Placochilus seladonicus* (Fln) (Hem., Miridae) in east, 211; recent records of *Molorchus umbellatarum* (van Schreber) (Col., Cerambycidae) in west, 26
- Swarming of *Crumomyia glabrifrons* (Meigen) (Dipt., Sphaeroceridae) in the Massif Central, France, 236
- Symposium on Chironomidae, xv
- Synonyms and records in the cixiid genus *Hyalesthes* Signoret, 1865 (Hom., Fulgoroidea), 67; *Micrantipha* Blackburn, a synonym of *Orthaltica* Crotch (Col., Chrysomelidae), 205

- Thailand and Malaya, new species of *Ventidius* Distant (Hem., Gerridae) from, 61
- Thermoregulation in the Japanese hornet, *Vespa mandarinia* Smith (Hym., Vespidae), 103
- Usurpation by conspecific queens of *Vespa simillima xanthoptera* Cameron (Hym., Vespidae), 71
- Wales, *Dropephylla devillei* (Bernhauer) (*D. grandiloqua* (Luze)) (Col., Staphylinidae), a further record, 190; *Forficula lesnei* Finot (Derm., Forficulidae) in south, 112; *Meligethes fulvipes* Brisout (Col., Nitidulidae), new to, 238; new records of *Boreus hyemalis* (L.) (Mecoptera), in, 153; *Rhacognathus punctatus* (L.) (Hem., Pentatomidae) in south, 88; *Trechus rivularis* (Gyll.) (Col., Carabidae) in, 109
- Walker [Francis] types of Homoptera from the W.W. Saunders Collection, notes on the status and location of some, 121
- Warwickshire (VC 38), nationally scarce and uncommon Chrysomelidae (Col.) in, 7
- Worcestershire, a breeding colony of *Tachys parvulus* Dejean (Col., Carabidae) in south, 20; analysis of a Coleoptera fauna from Broadway, 27; *Anobium inexpectatum* (Herbst) (Col., Anobiidae) new to, 162; further observations on *Gnorimus nobilis* (L.) (Col., Scarabaeidae) in, 110; further observations on *Meloe rugosus* Marsham (Col., Meloidae) in, 110; rare beetles on an apple tree in, 236
- Yorkshire, *Leistus rufomarginatus* (Duftschmid) (Col., Carabidae), flying in north, 200
- Yugoslavia, some Carabidae from Montenegro, 152

## SPECIAL INDEX

New genera, and species, etc., are indicated by heavy type, genera and species new to Britain by an asterisk (\*).

## ARACHNIDA

*Acarapis woodi* 134  
*Alliphis halleri* 136, 140; *necrophilus* 140  
*Antennoseius bacatus* 133; *masoviae* 133, 137, 140  
 'arachnids' 148  
*Bombacarus buchneri* 134  
*Caloglyphus geotruporum* 133, 137, 144  
*Canestrinia dorcicola* 137, 144  
*Conoppia palmicinctum* 163  
*Copriphus equestris* 141  
*Crassicheles concentricus* 133, 141; *greeni* 137, 140-1; *holsaticus* 137, 141  
*Eviphis concentricus* 140  
*Glyptolaspis america* 136, 139; *confusa* 136, 140  
*Hydrachnellae* 134  
*Histiostoma insularae* 133, 137, 145  
*Hypoaspis krameri* 137, 143  
*Kleemannia* sp. nr *plumigera* 137, 142  
*Keiosoma palmicincta* 163  
*Iacarus* 163-4  
*Macrocheles glaber* 133, 135-6, 140; *scutatus* 136, 140; *tardior* 139  
*Microsejus truncicola* 133, 137, 143  
*Oppia microptera* 163-4  
*Oribates globosus* 163  
*Parasitellus fucorum* 136, 138  
*Parasitus beta* 136, 138; *coleoptratum* 133, 136, 138; *consanguineus*, *copridis*, *fimetorum* 136, 138; *mustelarum* 133, 136, 139; sp. nr *intermedius* 133  
*Pelethiphis equestris* 133, 141  
*Pelznertia crenulata*, *necrophori* 133, 137, 145  
*Percanestrinia saetolata* 137, 144  
*Photia chrysocarabi* 137, 144  
*Phyllotegius* 163  
*Poecilochirus austroasiaticus*, *carabi*, *darydovae*, *subterraneus* 136, 139  
*Polyaspididae* 143  
*Polyaspis patavinus* 133, 137, 143  
*Prostigmata* 144  
*Pyemotes ventricosus* 134  
*Pygmodispis calcaratus* 133, 137, 144  
*Rhopalonoetus lanceocrinus* 133, 137, 145  
*Saintidieria intermedia*, *neorbinella* 142; *octoclavata*, *orbinella*, *sexclavata* 133, 137, 142; sp. 137  
*Scamiphis equestris* 137, 141; *exanimus* 141  
*Scarabaspis inexpectatus* 133, 137, 141  
*Scutacaridae* 144  
*Spinanoetus pelznerae* 133, 137, 145  
*Tetragnatha* 242  
*Trombiidae* 134  
*Urobovella* 143  
*Uropodoidea* 137, 143  
*Uroseius* 143

## COLEOPTERA

*Abraeus globosus* 30  
*Acritus nigricornis* 31  
*Adalia bipunctata*, *decempunctata* 224  
*Agathidium marginatum* 28  
*Agriotes obscurus* 136, 143  
*Aleochara discipennis* 28; *funebis* 31  
*Alophus triguttatus* 29  
*Amara* 259; ?*praetermissa* 136, 143  
*Ampedus balteatus* 143  
*Amphimallon ochraceus* 155  
*Anaglyptus mysticus* 29  
*Anaspis frontalis*, *garneysi*, *schilskyana* 70  
*Anisoxya fuscata* 29-30  
*Anobium inexpectatum* 162  
*Anommatus duodecimstriatus* 29  
*Anotylus tetracaratus* 136, 141  
*Anthicus bifasciatus* 29, 32  
*Anthrribus fasciatus* 70  
*Aphodius* 138-140; *depressus*, ?*foetidus* 136; *lapponum* 136, 138, 190; *rufipes* 136, 138-40, 143; *rufescens*, sp. 136  
*Apion affine*, *limonii* 97; *pubescens*, *punctigerum* 29  
*Ambrosia* beetles 230  
*Arhopalus* 251  
*Asaphidion curtum* 27  
*Aspidiphorus orbiculatus* 143  
*Atheta picipes* 56  
*Atholus* 138; *duodecimstriatus* 136, 140, 143  
*Atomaria nigriventris* 28, 32  
*Atrecus affinis* 56  
*Attelabidae* 29  
*Badister bipustulatus* 152  
*Baris lepidii* 29  
*bark beetles* 230  
 'beetle' 136  
*Bembidion lampros* 136, 143; *properans* 20; *quinquestriatum* 27  
*Bibloporus bicolor* 56, 170; *minutus* 170  
*Bitoma crenata* 30  
*Blaps mucronata* 32  
*Bolitophagus reticulatus* 170  
*Brachyusa concolor* 258  
*Bruchidae* 29  
*Buprestidae* 28  
*Byrrhidae* 28  
*Byturidae* 28  
*Calathus fuscipes*, *melanocephalus* 136, 143; *micropterus* 190  
*Callicerus rigidicornis* 31  
*Callidium violaceum* 29, 32  
*Cantharidae* 28  
*Carabus* 139, 144; *gallicus* 136, 144; *monilis* 27, 31; *problematicus*, *violaceus* 136, 144  
*Carpelimus* 249; *bilineatus* 250; *corticinus* 20, 250; *elongatulus*, *fuliginosus* 250;



- gracilis* 28, 250; *impressus*, *pusillus* 250; *rivularis* 250, 258; *subtilicornis* 250; *zealandicus* 258  
*Catopocer* 259  
*Caulotruper* *aeneopiceus* 97  
*Cercyon lugubris*, *terminatus* 27  
*Cerylon ferrugineum*, *histeroides* 30  
*Ceutorhynchus atomus*, *pilosellus*, ?*punctiger* 32  
*Chrysomela tremula* 7–8  
*Cicindela maritima* 32  
*Cionus alauda*, *hortulanus*, *scrophulariae* 230  
*Cis boleti*, *festivus* 56  
*Cisidae* 29  
*Clambidae* 28  
*Clambus pallidulus* 236  
*Clinidium canaliculatum* 78  
*Coccinella quinquepunctata* 170  
*Coccinellidae* 29  
*Coccytes fijianus* 149  
*Colobopterus* 139–40; *fossor* 136, 138, 141–2, 145  
*Colorado beetle* 222  
*Colydiidae* 29  
*Conopalpus testaceus* 29, 30  
*Copris hispanis* 138, 140  
*Corticaria linearis* 156  
*Corticarina fuscata* 20  
*Corylophidae* 29  
*Crepidodera vestita* 205  
*Criocephalus* 251  
*Crossotarsus externedentatus* 150  
*Cryptohypnus* 140; *riparius* 136  
*Cryptophagus bimaculatus* 74; *dentatus* 56  
*Crypturgus borealis* 209; *cinereus*, *pusillus* 209–10; ?*subcristosus* 209–11  
*Ctesias serra* 28, 30  
*Curculio picipes* 21  
*Deinopsis erosa* 245  
*Dendrophagus crenatus* 56  
*Dicronychus equiseti* 32  
*Dienerella elongata* 29  
*Dianous coerulescens* 27  
*Donacia impressa*, *obscura*, *thalassina* 8  
*Dorcatoma flavicornis* 28, 30  
*Dorcus parallelipipedus* 30, 136, 144; sp. 144  
*Dropephylla devillei*, *grandiloqua* 190  
*Dryocoetes autographus* 56  
*Dytiscidae* 27  
*Elateridae* 28  
*Elmidae* 28  
*Elodes pseudominuta* 27  
*Epiphanis cornutus* 28, 31, 170  
*Erichsonius cinerascens* 20  
*Erotylidae* 28  
*Euheptaulacus sus* 238  
*Eutornus littoralis* 97  
*Ficicis porcatus* 149–50  
*Galerucella* 190  
*Gauropterus fulgidus* 28  
*Geotruper* 138–40; *mutator*, *pyrenaeus* 136; *spiniger* 133, 136, 138, 140–1, 143–5; *stercorarius* 133–4, 136, 139–45; *stercorosus* 136, 138, 143–4; *vernalis* 136, 143; sp. 136, 138, 140  
*Geotrupidae* 28  
*Gnorimus nobilis* 110  
*Gymnetron pascurorum* 97  
*Gyrinidae* 27, 77  
*Gyrinus aeratus* 78; *columbus* 77; *lineatus* 78; *natator* 78; *pullatus* 77; *subfasciatus* 78; *suffriani* 178  
*Gyrophana angustata* 28, 31  
*Hadrobregmus denticollis* 28, 32  
*Haliplidae* 77  
*Haliplidius* s.g. 78  
*Haliplus confinis*, *flavicollis*, *heydeni*, *mucronatus* 78  
*Haptoderus* s.g. 152  
*Harpalus rubripes* 20  
*Hister* 138; *merdarius* 136, 143; *sinuatus*, 142; *unicolor* 136, 143  
*Histeridae* sp. 136  
*Homalota* 29  
*Hydraenidae* 30  
*Hydroporus longicornis* 258  
*Hygrobidae* 77  
*Hygrotus quinquelineatus* 260  
*Hylesinus subcostatus* 149  
*Hypebaeus flavipes* 70  
*Hypera dauci* 32; *postica* 20  
*Hyperaspis pseudopustulata* 204  
*Hypothenemus* 150  
*Ips* 78, 135, 230  
*Ischnoglossa 'prolixa'* 56  
*Ischnomera caerulea* 70; *cyanea* 29–30, 70; *sanguinicollis* 29–30  
*Korynetes caeruleus* 20  
*Lathrobium elongatum* 20  
*Leiodes calcarata* 20; *ferruginea* 28; *polita* 20; *rugosa* 28  
*Leistus rufomarginatus*, *spinibarbis* 200  
*Lema trilineata* 172  
*Leptacinus batycrus* 31  
*Leptinotarsa* 171–2; *behrensi*, *cacica*, *decemlineata*, *defecta*, 171; *delicta* 172; *haldermani* 171; *hogeii* 172; *juncta* 171–2; *obliterata*, *pudica* 172; *tumamoca* 171  
*Leptura* 252  
*Leptusa fumida* 56; *pulchella* 49; *ruficollis* 56  
*Liaphlus* s.g. 78  
*Licinus depressus* 32  
*Livolia* 205  
*Longitarsus ganglbaueri* 8  
*Lucanidae* 28  
*Lucanus cervus* 136, 143, 196; sp. 143  
*Lycidae* 28  
*Macrancylus francisanus*, *littoralis* 97  
*Macropogon* 259  
*Macrorhyncholus littoralis* 97–101  
*Magdalis barbicornis* 29, 32  
*Megarthus hemipterus* 31  
*Melantous erythropus* 56

- Meligethes atramentarius, difficilis* 237;  
*fulvipes* 238; \**haemorrhoidalis*,  
*morosus* 237  
*Meloe rugosus* 29, 32, 110  
*Melolontha melolontha* 31  
Melyridae 28  
*Metopsia retusa* 31  
*Micrambe bimaculata* 74  
*Micrantipha paradoxa* 205–6  
*Molorchus umbellatarum* 26, 29, 32  
*Mycetochara humeralis* 29–30  
Mycetophagidae 29  
*Myllaena* [wrong det as] 244  
*Nebria apfelbecki, bosnica* 152; *brevicollis*  
136, 143; *gyllenhali* 152; *salina* 136, 143  
*Necrodes littoralis* 136, 139, 142–3  
*Nephus redtenbacheri* 204  
*Nicrophorus* 138–40, 145; *humator* 134,  
136, 138–43, 145; *interruptus* 136, 139,  
143, 145; *investigator* 136, 139, 145;  
*vespillo* 136, 139–40, 143, 145;  
*vespilloides* 136, 139–40, 143, 145; sp.  
136  
Nitidulidae 28  
*Nossidium pilosellum* 28, 236  
Noteridae 77  
*Octotemnus glabriculus* 56  
*Ocypus olens* 22  
*Oiceoptoma thoracicum* 136, 139, 145  
*Olophrum fuscum* 190  
*Onthophagus* 138; *coenobita* 31; *joannae*  
118; *nuchicornis* 118, 238; *ovatus*,  
*similis* 118  
*Onthophilus striatus* 31  
Orthaltica 205  
*Orthotomicus laricis* 209  
*Oryctes nasicornis* 143  
*Otiorhynchus sulcatus* 136, 138  
*Parabathyscia wollastoni* 28, 31  
*Paralister carbonarius* 136  
*Pentarthrum huttoni* 29, 31  
*Peranus bimaculatus* 31  
*Perigona nigriceps* 27  
*Perkovskius* 259  
*Phaedon armoraciae* 20  
Phalacridae 28  
*Philonthus politus* 136, 143–4  
*Phloeophagus lignarius, truncorum* 236  
*Phyllobius roboretanus* 97  
*Phyllotreta aenea, cruciferae* 29  
*Phymatodes testaceus* 31  
*Phytodecta fornicata* 226  
*Pityogenes bidentatus* 209; *quadridens* 19  
*Pityophthorus lichtensteini* 19  
*Platycis minutus* 30  
*Platypus cylindrus* 29, 31  
*Plathystethus* 249; *alutaceus* 250;  
*arenarius* 136, 141, 250; *capito*,  
*cornutus, nitens, nodifrons* 250  
*Plegaderus dissectus* 28, 30  
*Plinthus caliginosus* 97  
*Poecilips fijianus* 149  
*Polygraphus* 210; *poligraphus, subopacus*  
211  
*Prionocyphon serricornis* 170  
*Prionus coriarius* 251  
*Prionychus ater* 29–30  
*Procas armillatus* 22–3, 24–5;  
*granulicollis* 21–5; *granulicollis*  
*minutus* 22; *picipes* 21  
*Procaerus tibialis* 236  
*Psammodytes asper* 32  
Pselaphidae 28  
*Pseudocistela ceramboides* 29–30  
*Pseudotriphyllus suturalis* 30  
*Pterostichus* 139; *adstrictus* 190; *brevis*  
152; *madidus* 136, 142, 145;  
*mukdenensis* 245; *nigrita* 136, 142,  
245–9; *raeticus* 245–9; *unctulatus* 152  
*Ptilopodius dubiosus, marquesanus* 149;  
*tarawai* 149–50  
*Ptinus textus* 57–8  
Pyrochroidea 29  
*Pyrrhalta* \**luteola* 190  
*Pyrridium sanguineum* 70  
*Quedius fuliginosus* 136, 141; *plagiatus* 56  
*Rhizophagus* 28; *dispar* 56  
*Rhynchaenus armillatus* 21  
*Rhyncholus lignarius* 98–9  
*Rhysodes* s.g. 78  
Salpingidae 29  
*Scaphisoma boleti* 28  
Scarabaeidae 28  
*Schizotus pectinicornis* 170  
Scolytidae 29  
scolytids 230  
*Scolytus mali, ratzeburgi, scolytus* 204  
*Scraptiia testacea* 70  
Scraptiidae 29  
Scydmaenidae 28  
*Sepedophilus immaculatus, littoreus*,  
*marshami, nigripennis, pedicularius*,  
*testaceus* 208; spp. 204  
Silphidae 28  
silphids 139  
Silvanidae 28  
*Sinodendron cylindricum* 30  
*Sphaeridium bipustulatum* 136, 142–3  
*Staphylinus aeneocephalus* 31  
*Stenichnus bicolor* 56  
*Stenocarus umbrinus* 29  
*Stenus asphaltnus* 170; *boops, canaliculatus*  
20; *fuscicornis* 28; *glacialis, incanus*  
170  
*Suboccinella vigintiquattuorpunktata*  
223–9  
*Tachys parvulus* 20, 27  
*Tachyusa coarctata* 258  
*Thanasimus formicarius* 30  
*Thanatophilus rugosus* 136, 139, 145;  
*sinuatus* 145  
*Tillus elongatus* 28, 30  
*Tomicus piniperda* 210  
*Trachypoeus digitalis* 97  
*Trechus obtusus* 152; *rivularis* 109  
Tribolium 135  
*Trinophylum cribratum* 29  
*Triplax aenaea* 56



*Trixagus brevicollis* 70  
*Trogidae* 28  
*Trox scaber* 31  
*Typhaeus* 138, 140; *typhoeus* 136, 140, 143, 145  
*Xyleborus* 29; *confusus*, *ferrugineus* 149; *perforans* 150; *saxseni* 31; *similis* 149–50  
*Xyloterus lineatus* 56  
*Zeugophora flavicollis* 8

## DERMAPTERA

*Forficula auricularia*, *lesnei* 112

## DICTYOPTERA

*Ectobius* spp. 238  
*Supella longipalpa* 86

## DIPTERA

*Abrhexosa* 18; *thripsoides* 17–9  
*Akorhexosa* 18  
*Allolimosina* s.g. 33, 39  
*Americina* 187  
*Aragara crassipes* 217–20; *imitator* 219; *minor* 217–21  
*bibionid* larvae 222  
*Bifronsina* s.g. 43  
*Borborillus niveipennis*, *sordidus*, *vitripennis* 34  
*Borneoscatopse* 9–10; *curvata* 10–1  
*Brachypalpoides lenta* 212  
*Bryophaenocladus* \**inconstans* 74  
*Chaetopodella scutellaris* 35  
*Chelipoda vocatoria* 66  
*Chiona* 242  
*Chloropsina* 220  
*Chromatopterus* 220  
*Chylizosoma* 187  
*Colobostema lunata* 11–4; *picticornis* 13–4; *pilosa* 11–4  
*Conosia* 242  
*Coproica acutangula* 35; \**coreana*, *dentata* 35–6; *ferruginata* 35, 38; *hirticula* 35; *hirtula* 35, 38; *hirtuloidea*, *lugubris* 35; *pappi* 33, 35–7; *pseudolugubris* 36; *pusio* 36–7; *rohaceki* 33, 36–8; *vagus* 38  
*Copromyza equina*, *pseudostercoraria*, *similis*, *stercoraria* 34  
*Copromyzinae* 34–5  
*Cordylosomides* 220  
*Corynoptera abblanda* 54; *globula* 55; *nigrosetosa* 53–4; *polliciformis* 53–5  
*Criorhina* 212  
*Crumomyia glabrifrons* 34, 236; *nigra*, *rohaceki*, *roserii*, *zuskai* 34

*Dentilimosina* s.g. 42  
*Dicranoptycha* 242  
*Dolichochepeza* 242  
*Dolichopodidae* 257  
*Drosophila* 145  
*Ectaetia* 9–10  
*Elachisoma aterrimum*, *bajzae*, *pilosum* 38  
*Empididae* 257  
*Empis chioptera* 116; *opaca*, *tessellata* 118  
*Ensiferella* 220  
*Epistrophe* \**melanostoma* 167–9; *nitidicollis* 167, 169; *ochrostoma* 169  
*Episyrphus balteatus* 258  
*Eulimosina* s.g. 43  
*Eupodes corellae* 258  
*Euthyneura gyllenhali* 48  
*flies* 191  
*Formisina* genus group 220  
*Goniops* 220  
*Halidayina spinipennis* 38  
*Hackmanina* s.g. 42  
*Heleodromia immaculata* 48  
*Herniosina* 33; *bequaerti* 38  
*Homops* 220  
*Ischiolepta pusilla* 33; *scabricula* 34  
*Japanagromyza polygoni* 118  
*Kimosina longisetosa*, *plumosula* 38  
*Laosa* s.g. 239–44  
*Leptocera caenosa*, *fontinalis*, *nigra* 38; *lutosoidea* 39  
*Leptosciarella* s.g. 51  
*Limonia manobo* 241; *rotundifoliae* 239–44  
*Limosina silvatica* 39  
*Limosininae* 35–44  
*Lobophila atra* 35  
*Lotobia pallidiventris* 34  
*Lumpuria flavicornis* 9  
*Lycoriella* 54  
*Megaselia* 178  
*Merochlorops* 220–1  
*Merochlorops* genus group 220  
*Microphorinae* 257  
*Minilimosina alloneura*, *fungicola*, *parvula* 39; *secundaria* 33, 39, 41; *trogeri*, *vitripennis* 39  
*Molophilus lackschewitzianus* 212  
*mosquitoes* 191  
*Muscomorpha* 257  
*Neoloxotaenia* 220  
*Nudopella* s.g. 44  
*Obscuriphora sheppardi* 178  
*Ochtherisoma imitator* 217  
*Oedalea apicalis* 48  
*Opacifrons coxata* 39; *humida* 39–42; *jorlii* 33, 39–42  
*Opalimosina calcarifera*, *collini*, *czernyi*, *denticulata*, *liliputana*, *mirabilis*, *simplex* 42  
*Papiella* s.g. 42  
*Pararhexosa flavipalpis* 14–6  
*Paralimosina fucata* 42  
*Parallelomma media* 188; *paradis* 187–9; *paucheti* 188; *vittata* 187–9

Philocopella 33  
 Phora penicillata 178  
 Phyllodromia melanocephala 66  
 Platypalpus agilis, albicornis 59; albifacies  
 60; albocapillatus 59; aristatus 60;  
 \*bilobatus 59–60; candicans,  
 clarandus, cothurnatus, cursitans,  
 exilis, flavicornis, insertus, ingenus,  
 kirtlingensis, laticinctus,  
 leucocephalus, 60; longicornis 118;  
 niveiseta, optivus, rapidus, ruficornis,  
 verralli 60  
 Plastosciara **colei** 52–4; falcata, falcifera,  
 nobilis 52  
 Platycheirus amplus, peltatus 204  
 Polyblepharis opaca 116  
 Pseudothaumatomyia 220  
 Pteremis fenestralis 42  
 Pullimosina heteroneura 42; moesta,  
 zayensis 43  
 Puncticorpus lusitanicum 43  
 Rachispoda s.g. 39  
 Quatiella miniscula 14  
 Rhamphomyia sulcata 116  
 Rhegmoclema s.g. 9–13  
 Rhexosa 14, 16–8; richardsi 18;  
 seminitens 14, 16–7; subnitens 16  
 Scaeva melanostoma 167; pyrastris 258  
 Scatopse curvata 9–11; flavipalpis 9, 14;  
 lunata 11; picticornis 13, 15; pilosa 12;  
 seminitens 16; thripsoides 9, 18  
 Scatopsodes 18  
 Sciara glabra 51; quercicola 52  
 Sciaraneura quercicola 52  
 Scythropochroa quercicola 51–3; radialis  
 51–2  
 Spathobdella s.g. 52–4  
 Spelobia bifrons, baezi, clunipes, czizeki,  
 luteilabris, manicata, ochripes,  
 palmata 43; parapsio, pseudosetaria,  
 quaesita, talis, talparum 44  
 Sphaerocera curvipes 34  
 Sphaerocerinae 33–4  
 Spinilimosina brevicostata 44  
 Styringomyia 242  
 Svarciella s.g. 39  
 Swammerdamella 18  
 Swammerdamellini 15  
 Sylvicola cinctus, fenestris, zetterstedti 50  
 Tachypeza nubila 48  
 Terellia serratulae 221  
 Telomerina flavipes, pseudoleucoptera 44  
 Terrilimosina 33; racovitzae 44  
 Thaumatomyia notata 221  
 Thressa 220  
 Tipula paludosa 119–20  
 Trachypopella atomus, coprina, lineafrons,  
 melania, straminea 44  
 Trentepohlia 242  
 Trichosia basdeni 52; glabra 51–2;  
 jenkinsoni 52  
 Xanthandrus comtus 258  
 Xanthempis digramma 116  
 Xylota segnis 212

## EPHEMEROPTERA

Apobaetis 208  
 Caenis pusilla 46  
 Centroptilum 207  
 Cloeon dentatum 207–8  
**Potamocloeon** 207–8; dentatum 207–8  
 Procloeon 207  
 Pseudocentroptiloides 207–8  
 Pseudocentroptilum 207

## HEMIPTERA

Achilidae 126  
 Adelges laricis 79  
 Anthocoris nemorum 96  
 Aonidia lauri 83  
 Aphaena scriptifacies 122  
 Aphidoidea 83  
 aphids 222  
 Aphis fabae, frangulae, gossypii 203  
 Aphrodes makarovi 20  
 Armacia 123–4  
 Arytaina genistae 157  
 Aspidiotus 79; bromeliae, buxi, cymbidii,  
 echinocacti, juniperi, lauri, myrthi,  
 merii, palmarum, pini, pinnaeformis,  
 pomorum, populi, roae, saliceti,  
 salicis, tiliae, vaccinii 83  
 Asterodiaspis quercicola 83  
 Asterolecanium epidendri 83  
 Aufidus tricolor 131  
 Aulacaspis rosae 83  
 Benna canescens 126  
 Bidis liturifrons, notigena, punctifrons 129  
 Blepharidopterus angulatus 96  
 Borystenes 126  
 Brixia puncticosta 127; varia 127–8  
 Capsida 95  
 Capsus wagneri 258  
 Carulaspis juniperi 83  
 Cercopis biangulata, brevistriga 130;  
 discrepans 129; inexacta, subapicalis,  
 tetragona 130  
 Cercopidae, Cercopoidea 129–32  
 Chionaspis salicis 83  
 Chloropulvinaria psidii 234  
 Choricococcus lounsburyi, peregrinus 80  
 Cicadelloidea 132  
 Cixiidae 126–8  
 Cixius dilectus, dotatus 127; finitus 126–7;  
 pustulatus 126; munitus 127  
 Clovia 131–2; subjuncta 131  
 coccids 235  
 Coccus 'adonidum' 81; amaryllidis 79–80;  
 bromeliae 79, 82–3; cestri 83; citri 81;  
 hesperidum 82; laricis 79; liliacearum  
 79–80; mamillaria 79, 81–2;  
 tuberculatus 83; tuliparum 79, 81  
 Corixa 177  
 Cosmocarta 129–30; dimidiata var  
 subapicalis, subapicalis 130

- Dactylopius citri 81; liliacearum 80;  
     mamillariae, tuliparum 81  
 Delphacidae 129  
 Derbidae 124–5  
 Detya 122  
 Diaphinidia pellucida 95  
 Diaspididae 83  
 Diaspis bromeliae, echinocacti 83  
 Dictyonota tricornis 20  
 Dorthesia citri 81  
 Dysmicoccus brevipes 83  
 Epora subtilis 125  
 Eucropsylla 85  
 Eulecanium tiliae, vini 83  
 Euphalerus 85  
 Eupteryx aurata, urticae 20  
 Faventilla 126  
 Ferrisia virgata 234  
 Fulgoridae, Fulgoroidea 122  
 Gerris lateralis; ssp asper 177  
 Gerriselloides s.g. 177  
 Gynopygoplax circe 130  
 Gynunga 132  
 Hemisphaerius torpidus, typicus, 128  
     viridis  
 Hiracia ignava 125  
 Homalostethus 130  
 Hotinus cultellatus 122  
 Hyalesthes 67–70; aether, angustulus, 68;  
     askalensis, basalis 69; catenxero 68;  
     dialus 67–8; erzurumicus 69; flatenca,  
     flavipennis 68; hani 67;  
     mavromoustakisi 68; productus 67;  
     zabolicus 67–8  
 Iassus scutellaris 151  
 Interamma angusta, ascendens 124  
 Irbisia solani 95  
 Issidae 128–9  
 Issus coleoptratus 252; lineata 128  
 Latoliarus aither 68  
 leaf-hoppers 222  
 Lecanium 79; corni, epidendri, juglandis,  
     quercicola, salicis, vini 83  
 Lepidosaphes pinnaeformis, ulmi 83  
 Leptataspis discolor v tetragona 130  
 Leptocoris trivittatus 95  
 Leucaspis pini 83  
 Livilla bimaculata, blandula 161;  
     cataloniensis 161–2; **hollisi** 157–62;  
     hodkinsoni 161–2; lusitanica,  
     maculipennis, magna, pseudoretamae,  
     pyrenaea, siciliensis, spartiisuga 161;  
     ulicis 157  
 Lopidea marginata 95  
 Lyctocoris campestris 96  
 Macropsis spp. 151  
 Margarodidae 231  
 Microcoris sp. 63  
 Mictonecta buenoi, umbricola 177  
 Microvelia 177  
 Mindura 123  
 Nepidae 177  
 Nilalohita 128  
 Nogodina alligata 123; sublineata 122–3  
 Nogodinidae 122–3  
 Notonecta maculata, marmorea, m. spp.  
     marmorea, m. spp. viridis, viridis ssp.  
     mediterranea, v. spp. viridis 177  
 Nysius 95–6  
 Oliarus basalis 69  
 Paraliburnia clypealis 74  
 Parthenolecanium corni 83  
 Perinoia exclamans 131; placens 131–2;  
     separata 131; subfurcata 132  
 Phenacoccus sp. 234  
 Pinnaspis buxi 83  
 Placochilus seladonicus 211  
 Planococcus citri 81; 'lilacinus', pacificus  
     234  
 Plea leachii, minutissima 177  
 Pseudococcus 79; amaryllidis 80;  
     bromeliae 83; citri 81; liliacearum,  
     lounsburyi 80; mamillariae 81–2;  
     peregrinus 80; tuliparum 81  
 Pseudohelceta 124  
 Ptolema 127  
 Ptoleria 127  
 Ptyelus plenipennis 131  
 Pulvinaria cestri, salicis, tuberculatus 83  
 Rastrococcus sp. 234  
 Rhacognathus punctatus 88  
 Rhopalosiphum padi 190  
 Rhotala delineata 126  
 Ricania basigera 123; latipennis 124;  
     osmyloides, prominens 123  
 Ricaniidae 123–4  
 Saissetia coffeae 82  
 Saiva 122  
 Scamandra 122  
 Septicius clarus 95  
 Serida fervens 126  
 Spilococcus cactearum 79, 81–2;  
     leucopogi, mamillariae 79, 81  
 Stenocranus fuscovittatus, major, minutus  
     212  
 Sussula 123  
 Tettigellidae 132  
 Tettigonia suavissima 132  
 Thracia cumulata 125; ephemeralis 124;  
     fuscipennis 125; nervosa 124–5  
 Trionymus 79; amaryllidis 80; leucopogi  
     81; lounsburyi 80  
 Tropiduchidae 125–6  
 Typhlocyba sp. 20  
 Ugyops 129  
 Vacia 123  
 Varma 126  
 Ventidius 61–6; hungerfordi 65; **karen**  
     61–5; kuiterti, lundbladi, pulai 61;  
     **wallacei** 62–5  
 Vryburgia amaryllidis, lounsburyi 79–80  
 Zoraida 124–5



## HYMENOPTERA

Andragathus 75–7; hubrechtii 75–6  
 Andricus quercuscalicis 190  
 Anteon 185–6; hilare 186; **pseudohilare**  
 185–6; pubicorne 185; reticulatum  
 185–6  
 Anthophora plumipes 110  
 Anthophoridae 111  
 ants 222  
 ants, leaf-cutting 230  
 Asaphes vulgaris 200  
 Asaphoideus 231, 233  
 Aveniaspis 198  
 Bombus 108, 138; lapidarius 118  
 Bistriothorax altensteinii 198; paradoxus  
 199  
 Brachygaster minutus 238  
 Cephaleta 231  
 Cerceris callani, dilatata, echo, rufinoda  
 112  
 Chalcis 198  
 Chromeurytoma 231, 233  
 Cycloneuron 199  
 Decatoma 199  
 Dialictus sp. 111  
 Dinocarsis hemiptera 198  
 Diodontus tristis 101  
 Dolichovespula maculata 103; norwegica  
 180; sylvestris 179  
 Ectemnius rubicola 101  
 Encyrtus atricollis, clavicornis, cyaneus,  
 cyanifrons, flaminus, fuscicollis,  
 swederi 198  
 Enneatoma, Ennetoma 198  
 Entedon 198  
 Ephelosia 231  
 Eulophus hylotomarum 198  
 Eunotus 231  
 Eurytoma 199; abrotani 198  
 Euscapus 198  
 Formica longicornis 75; rufa 86  
 Geniocerus 198  
 Gorytes laticinctus 102  
 Homoporus chalcidiphagus 199  
 honey bee 148  
 Hoplisus laticinctus 102  
 ichneumon 118  
 Ichneumon dorsalis 199  
 Keirana 231  
 Laprotatus brevicornis 199  
 Lasius alienus 47, 73, 196; flavus 47–8,  
 196; fuliginosus 196; niger 20, 47, 73,  
 196  
 Lonchentedon 198  
 Megastigmus bipunctatus, dorsalis, pictus  
 199  
 'Megastigmus' 199  
 Mesodryinus niger 186  
 Mesopolobus morys 199  
 Moranila 231  
 Neochelogyne lucidum 185  
 Nomada marshalli 118  
 Notopodion 199–200

Notopodium [error] 199  
 Oricoruna 231  
 Pachyneuron 231  
 Palaeomyrmar anomalum 73  
 Parasaphodes 231  
 Paratrechina 75–6; currens 75  
 Paravespula germanica 179; pennsylvanica  
 183; vulgaris 179  
 Passaloecus clypealis, corniger 102;  
 eremita 101–2; gracilis, insignis,  
 singularis 102  
**Patiyana coccorum** 231–5  
 Pemphredon lugubris 20; morio 101  
 Philanthus 111; gibbosus 112  
 Pimpla hypochondriaca, instigator 156  
 Podagrion splendens 199  
 Pompilus 172  
 Psilocera 234  
 Pteromalodes 199  
 Pteromalus morys 199  
 Rhopalus coarctatum 101  
 Rhyssa 156  
 sawflies 118  
 Scutellista 231  
 Skeloceras 199  
 Stigmus pendulus, solskyi 101  
 Sympiesis xanthostoma 258  
 Tetrastichus 198  
 Trachypus mandibularis, mexicanus 111;  
 petiolatus 111–2  
 Trigonalis hahnii 86  
 Trimorphoceras 198–9  
 Urocerus 230  
 Vespa analis 103; mandarinia 103–8;  
 simillima xanthoptera 71–3, 103–5,  
 107–8; tropica 103  
 Vespula atropilosa 183; austriaca 180;  
 germanica, maculifrons, norwegica  
 103; rufa 103, 179; vulgaris 103

## ISOPTERA

Microtermitinae 230

## LEPIDOPTERA

Abraxas grossulariata 190  
 Ancyliis apicella 258  
 Operophtera brumata 190  
 Phyllocnistis citrella 231  
 Plejebus argus 73, 196

## MANTODEA

Archimantis latistyla 192  
 Hierodula bipapilla, patellifera, werneri  
 192  
 Mantis religiosa 192  
 'Mantis religiosa americana' 191

Miomantis caffra 191  
 Orthodera novaezealandiae 191  
 Sphodromantis viridis 193  
 Stagmomantis carolina 191  
 Tenodera aridifolia sinensis 192

---

### MECOPTERA

Boreus hyemalis 153-5

---

### NEUROPTERA

Drepanopteryx phalaenoides 26

---

### ORTHOPTERA

Apholeus ludius 115  
 Catantopinae 113  
 Duvardia **fishpooli**, oubitai 113-6  
 Jolopercna gerstaeckeri 115  
 Serpusia catamita 115  
 Tetrigidae 85

---

### PSOCOPTERA

Liposcelis bostrychophilus 201

### STREPSIPTERA

Elanchnus tenuicornis 66

---

### THYSANOPTERA

Frankliniella 3  
 Oxythrips agathidis 2-3  
 Pseudanophothrips 1-7; acheatus 1, 3, 5;  
   annettae 1-2; **auraucariae** 4-7;  
   aureolus 1-2; **casuarinae** 3-7;  
   frankstoni, melanurus 1; montanus,  
   nativus 1-2; pallidipennis, pallidus,  
   parvus, querci, uniformis 1  
**Rhamphiskothrips** 214; **rhipostos** 216

---

### GROUPS OTHER THAN INSECTA AND ARACHNIDA

Amphibia 192  
 Annelida 148  
 Aves 77, 191-2, 194  
 Crustacea 20, 148, 222  
 Mammalia 142, 193  
 Mollusca 20, 222, 245  
 Myriapoda 148, 222  
 Nematoda 222  
 Pisces 177  
 Reptilia 192-4

### ERRATA AND CORRIGENDA

| Page | Line    | For                        | Read                 |
|------|---------|----------------------------|----------------------|
| 14   | 13 (up) | Uropoidea                  | Uropodoidea          |
| 122  | 11 (up) | <i>scriptifacis</i>        | <i>scriptifacies</i> |
| 193  | 3 (up)  | the Greek word should be   | 'ακρίς               |
| 194  | 2       | the Hebrew word should be: | חסידה                |
| "    | 4       | the Greek word should be:  | 'ασιδα               |

